


# LCDMXSD-D1-L

DMX Decoder 1Chan X 15.5A 12-24V IP20

**PRODUCT OVERVIEW**

The D1-L is a versatile DMX decoder that is compliant with DMX512 protocols, featuring an easy-to-read digital display for quick address setup via onboard controls. With built-in RDM support, the address can also be configured directly from a DMX master console. Adjustable PWM frequency, selectable linear or logarithmic dimming curves, and flexible stand-alone or dimmer modes provide precise lighting control, while integrated overheat and short-circuit protection ensure reliable, safe operation.

**PRODUCT INFORMATION**

**CODE**
LCDMXSD-D1-L

**VOLTAGE INPUT**
12-24VDC

**VOLTAGE OUTPUT**
12-24VDC

**OUTPUT POWER**
360W

**OUTPUT CURRENT (PER CH)**
15A

**CHANNELS**
1

**DIMMING INPUT**
DMX

**DIMMING OUTPUT**
PWM

**DIMMING RANGE**
10-100%

**PWM FREQUENCY**
250-32kHz

**REMOTE ENABLED**
No

**STANDBY LOAD**
0.5W

**SAFETY**
AS/NZS61347 EN55015


**PROTECTION**
Reverse polarity, Over-heat, Over-load, Short circuit

**IP RATING**
20

**OPERATING TEMP**
-30°C to 55°C

**DIMENSIONS**
L170mm x W50mm x H23mm

**DIMENSIONS**






While every effort has been made to ensure accuracy, product specifications may vary. Task Lighting reserves the right to update or modify product details without notice.