

200/250W

LF-GOE250YV024A

LED Driver Non Dimmable 24V DC 250W IP67

PRODUCT OVERVIEW

LF-GOE250YV024A is a 250W LED driver with a built-in potentiometer. This product was specifically designed for outdoor lighting, high bay lights and flood lighting projects. Super high efficiency and excellent heat-dissipation properties of GOE help to extend the product lifetime. The high-power-factor GOE makes better use of the power grid. Its low harmonic interference means low interference with the power grid and the electric devices in the circuit. All-round protection design improves the product stability which helps to save users' maintenance cost. The potentiometer at the bottom helps to adjust the output voltage/power of the product, satisfying customers various demands. Also suitable for 100-277V input operation resulting in a 20% output de-rating.

PRODUCT INFORMATION

CODE
LF-GOE250YV024A

VOLTAGE INPUT
220-277V

VOLTAGE OUTPUT
24V

OUTPUT POWER
250W

AMPS OUTPUT
10.42A

WORKING TEMP
-40°C to 60°C

SAFETY
AS/NZS61347 EN55015

PROTECTION
Overvoltage, Overcurrent, Short circuit, Overtemp

PST
= 1

SVM
= 0.4

MINIMUM LOAD
<25%


POWER FACTOR
0.9

IP RATING
67

EFFICIENCY
93%

DC RIPPLE
<10%

DIMENSIONS



200/250W

L227.4mm x W63mm x H34mm

While every effort has been made to ensure accuracy, product specifications may vary. Task Lighting reserves the right to update or modify product details without notice.